

SOLAR PREPARATORY SCHOOL, TX
Color - Teak

MEDICAL CENTER, FRANCE
Color - Teak

PRODUCT CATALOG

ARCHITECTURAL ELEMENTS, CLADDING & DECKING

Geolam[®]

Architectural Eco-Technology



KING OF PRUSSIA MALL, PA
Color - Rosewood



BLACKBAUD HEAD OFFICE, SC
Color - Teak



Geolam products are light, easy to install and exhibit the strength and durability of natural wood. Wood's warmth and aesthetic look is perfectly reproduced using our unique patented technology.

With over 300 installations across North America, Geolam products require very little maintenance, are fade resistant and can withstand extreme climates. They are ideal for facades, sunshades, rainscreens, other architectural accents, cladding and decking.



GOVERNOR'S PLAZA, TN
Color - Teak

Rosewood



Teak

HYBRID ALUMINUM/WPC









Available in Teak, Moleskin, Rosewood and Ebony







ARCHITECTURAL ELEMENTS

	Dimensions	Weight	End caps		Connectors	
			Plastic	WPC	Straight	Corner
Soleo 6027 <i>Minimum 1,000 ft for all colors</i>		0.74 kg/lm 0.50 lb/ft	✓			
Soleo 6005 <i>Minimum 1,600 ft for all colors</i>		0.60 kg/lm 0.40 lb/ft				
Soleo 6008 <i>Teak and Rosewood stocked in the US, no minimum. Minimum 1,000 ft for Moleskin and Ebony</i>		0.77 kg/lm 0.52 lb/ft		✓	✓	✓
Soleo 6029 <i>Minimum 1,000 ft for all colors</i>		1.00 kg/lm 0.67 lb/ft		✓		
Soleo 6026 <i>Minimum 1,000 ft for all colors</i>		1.05 kg/lm 0.71 lb/ft	✓			
Soleo 6011 <i>Minimum 1,600 ft for all colors</i>		1.12 kg/lm 0.75 lb/ft				
Soleo 6030 <i>Minimum 1,000 ft for all colors</i>		1.20 kg/lm 0.80 lb/ft		✓	✓	✓
Soleo 6017 <i>Minimum 1,000 ft for all colors</i>		1.60 kg/lm 1.08 lb/ft	✓			
Soleo 6036 <i>Minimum 1,600 ft for all colors</i>		1.00 kg/lm 0.67 lb/ft				
Soleo 6009 <i>Minimum 1,000 ft for all colors</i>		1.40 kg/lm 0.94 lb/ft		✓	✓	✓

	Dimensions	Weight	End caps		Connectors	
			Plastic	WPC	Straight	Corner
Soleo 6034 <i>Minimum 1,000 ft for all colors</i>		1.94 kg/lm 1.30 lb/ft	✓			
Soleo 6031 <i>Teak and Rosewood stocked in the US, no minimum. Minimum 1,000 ft for Moleskin and Ebony</i>		1.75 kg/lm 1.16 lb/ft		✓	✓	
Soleo 6010 <i>Teak and Rosewood stocked in the US, no minimum. Minimum 1,000 ft for Moleskin and Ebony</i>		2.30 kg/lm 1.55 lb/ft		✓	✓	✓
Soleo 6038 <i>Minimum 1,600 ft for all colors</i>		2.00 kg/lm 1.34 lb/ft				
Soleo 6024 <i>Minimum 1,600 ft for all colors</i>		2.06 kg/lm 1.38 lb/ft				
Soleo 6040 <i>Minimum 1,600 ft for all colors</i>		3.34 kg/lm 2.02 lb/ft				
Soleo 6050 <i>Minimum 1,600 ft for all colors</i>		4.56 kg/lm 3.06 lb/ft				
Soleo 6033 <i>Teak and Rosewood stocked in the US, no minimum. Minimum 1,000 ft for Moleskin and Ebony</i>		3.30 kg/lm 2.22 lb/ft	✓		✓	
Planeo 4010 <i>Minimum 1,600 ft for all colors</i>		1.95 kg/lm 1.31 lb/ft				
Planeo 4044 <i>Minimum 1,600 ft for all colors</i>		4.52 kg/lm 3.04 lb/ft				
Planeo 4021 <i>Minimum 1,600 ft for all colors</i>		4.20 kg/lm 3.23 lb/ft				
Planeo 4048 <i>Minimum 1,600 ft for all colors</i>		4.80 kg/lm 3.23 lb/ft				



Dimensions		Weight	End caps		Connectors	
			Plastic	WPC	Straight	Corner
Planeo 4061 <i>Minimum 1,600 ft for all colors</i>		9.50 kg/lm 6.38 lb/ft				
Planeo 4046 <i>Minimum 1,600 ft for all colors</i>		9.90 kg/lm 6.65 lb/ft				
Planeo 4022 <i>Minimum 1,600 ft for all colors</i>		6.30 kg/lm 4.03 lb/ft				
Planeo 4062 <i>Minimum 1,600 ft for all colors</i>		14.25 kg/lm 9.58 lb/ft				
Diameo 2018 <i>Minimum 1,600 ft for all colors</i>		1.68 kg/lm 1.13 lb/ft	✓		✓	
Rondo 3002 <i>Minimum 1,600 ft for all colors</i>		0.95 kg/lm 0.64 lb/ft				
Rondo 3003 <i>Minimum 1,600 ft for all colors</i>		1.07 kg/lm 0.72 lb/ft				
Rondo 3004 <i>Minimum 1,600 ft for all colors</i>		2.46 kg/lm 1.65 lb/ft				
Rondo 3006 <i>Minimum 1,600 ft for all colors</i>		1.72 kg/lm 1.16 lb/ft				

	Dimensions	Weight	End caps		Connectors	
			Plastic	WPC	Straight	Corner
Careo 7015 <i>Minimum 1,000 ft for all colors</i>		0.70 kg/lm 0.47 lb/ft				
Careo 7031 <i>Minimum 1,600 ft for all colors</i>		0.82 kg/lm 0.55 lb/ft				
Careo 7011 <i>Minimum 1,000 ft for all colors</i>		1.25 kg/lm 0.84 lb/ft			✓	
Careo 7035 <i>Minimum 1,000 ft for all colors</i>		2.28 kg/lm 1.53 lb/ft				
Careo 7014 <i>Minimum 1,000 ft for all colors</i>		2.80 kg/lm 1.88 lb/ft		✓		
Careo 7016 <i>Minimum 1,600 ft for all colors</i>		4.00 kg/lm 2.69 lb/ft				

End Caps





Non standard End Caps
& Splicers/Connectors
available on request.

Splicers/Connectors

Corners



Straight





CLADDING




HYBRID ALUMINUM/WPC
Available in Teak, Moleskin, Rosewood and Ebony


Vertigo 5011 Minimum 5,000 ft for all colors

Vertigo 5010 Minimum 5,000 ft for all colors

Vertigo 5010 All colors stocked in the US, no minimum.



Weight
0.77 kg/lm 0.52 lb/ft
1.19 kg/lm 0.80 lb/ft
1.19 kg/lm 0.80 lb/ft



DECKING



CO-EXTRUDED WOOD PLASTIC COMPOSITE
Available in Teak, Moleskin, Rosewood and Ebony

Qualita 020C All colors stocked in the US, no minimum

Qualita 020E All colors stocked in the US, no minimum

Dimensions	Weight	Clips and screws	End caps and screws
	3.30 kg/lm 2.22 lb/ft	✓	✓
	3.30 kg/lm 2.22 lb/ft		✓

Warehoused in the USA

Standard colors Custom colors available upon request. (Minimum order quantities required)



To learn more about the advantages of Geolam®, our complete product line, or for any other information, please visit our website or contact us at any time.

www.geolaminc.com

Toll free: 1-877-627-3530 • info@geolaminc.com

Geolam®
Architectural Eco-Technology