

SOLAR PREPARATORY SCHOOL, TX
Color - Teak

MEDICAL CENTER, FRANCE
Color - Teak

PRODUCT CATALOG

ARCHITECTURAL ELEMENTS, CLADDING & DECKING

Geolam®

Architectural Eco-Technology



KING OF PRUSSIA MALL, PA
Color - Rosewood



BLACKBAUD HEAD OFFICE, SC
Color - Teak




Geolam products are light, easy to install and exhibit the strength and durability of natural wood. Wood's warmth and aesthetic look is perfectly reproduced using our unique patented technology.

With over 300 installations across North America, Geolam products require very little maintenance, are fade resistant and can withstand extreme climates. They are ideal for facades, sunshades, rainscreens, other architectural accents, cladding and decking.



GOVERNOR'S PLAZA, TN
Color - Teak

Rosewood



Teak

HYBRID ALUMINUM/WPC

Available in Teak, Moleskin, Rosewood and Ebony

ARCHITECTURAL ELEMENTS

Dimensions


Weight

End caps
Plastic WPC

Connectors
Straight Corner

Soleo 6027

Minimum 1,000 ft for all colors




0.74 kg/lm
0.50 lb/ft



Soleo 6005

Minimum 1,800 ft for all colors




0.60 kg/lm
0.40 lb/ft

Soleo 6008



Teak and Rosewood stocked in the US, no minimum. Minimum 1,000 ft for Moleskin and Ebony




0.77 kg/lm
0.52 lb/ft



Soleo 6029

Minimum 1,000 ft for all colors




1.00 kg/lm
0.67 lb/ft



Soleo 6026

Minimum 1,000 ft for all colors




1.05 kg/lm
0.71 lb/ft



Soleo 6011


Minimum 1,800 ft for all colors



1.12 kg/lm
0.75 lb/ft

Soleo 6030

Minimum 1,000 ft for all colors




1.20 kg/lm
0.80 lb/ft



Soleo 6017

Minimum 1,000 ft for all colors




1.60 kg/lm
1.08 lb/ft



Soleo 6036


Minimum 2,500 ft for all colors



1.00 kg/lm
0.67 lb/ft

Soleo 6009

Minimum 1,000 ft for all colors









1.40 kg/lm
0.94 lb/ft



	Dimensions	Weight	End caps		Connectors	
			Plastic	WPC	Straight	Corner
Soleo 6034 <i>Minimum 1,000 ft for all colors</i>		1.94 kg/lm 1.30 lb/ft	✓			
Soleo 6031 <i>Teak and Rosewood stocked in the US, no minimum. Minimum 1,000 ft for Moleskin and Ebony</i>		1.75 kg/lm 1.16 lb/ft		✓	✓	
Soleo 6010 <i>Teak and Rosewood stocked in the US, no minimum. Minimum 1,000 ft for Moleskin and Ebony</i>		2.30 kg/lm 1.55 lb/ft		✓	✓	✓
Soleo 6038 <i>Minimum 1,800 ft for all colors</i>		2.00 kg/lm 1.34 lb/ft				
Soleo 6024 <i>Minimum 1,800 ft for all colors</i>		2.06 kg/lm 1.38 lb/ft				
Soleo 6040 <i>Minimum 1,800 ft for all colors</i>		3.34 kg/lm 2.02 lb/ft				
Soleo 6050 <i>Minimum 1,800 ft for all colors</i>		4.56 kg/lm 3.06 lb/ft				
Soleo 6033 <i>Teak and Rosewood stocked in the US, no minimum. Minimum 1,000 ft for Moleskin and Ebony</i>		3.30 kg/lm 2.22 lb/ft	✓		✓	
Planeo 4010 <i>Minimum 1,800 ft for all colors</i>		1.95 kg/lm 1.31 lb/ft				
Planeo 4044 <i>Minimum 1,800 ft for all colors</i>		4.52 kg/lm 3.04 lb/ft				
Planeo 4021 <i>Minimum 1,800 ft for all colors</i>		4.20 kg/lm 3.23 lb/ft				
Planeo 4048 <i>Minimum 1,800 ft for all colors</i>		4.80 kg/lm 3.23 lb/ft				

	Dimensions	Weight	End caps		Connectors	
			Plastic	WPC	Straight	Corner
Planeo 4061 <i>Minimum 1,800 ft for all colors</i>		9.50 kg/lm 6.38 lb/ft				
Planeo 4046 <i>Minimum 1,800 ft for all colors</i>		9.90 kg/lm 6.65 lb/ft				
Planeo 4022 <i>Minimum 1,800 ft for all colors</i>		6.30 kg/lm 4.03 lb/ft				
Planeo 4062 <i>Minimum 1,800 ft for all colors</i>		14.25 kg/lm 9.58 lb/ft				
Diameo 2018 <i>Minimum 1,800 ft for all colors</i>		1.68 kg/lm 1.13 lb/ft	✓		✓	
Rondo 3002 <i>Minimum 1,800 ft for all colors</i>		0.95 kg/lm 0.64 lb/ft				
Rondo 3003 <i>Minimum 1,800 ft for all colors</i>		1.07 kg/lm 0.72 lb/ft				
Rondo 3004 <i>Minimum 1,800 ft for all colors</i>		2.46 kg/lm 1.65 lb/ft				
Rondo 3006 <i>Minimum 1,800 ft for all colors</i>		1.72 kg/lm 1.16 lb/ft				

	Dimensions	Weight	End caps		Connectors	
			Plastic	WPC	Straight	Corner
Careo 7015 <i>Minimum 1,000 ft for all colors</i>		0.70 kg/lm 0.47 lb/ft				
Careo 7031 <i>Minimum 1,800 ft for all colors</i>		0.82 kg/lm 0.55 lb/ft				
Careo 7011 <i>Minimum 1,000 ft for all colors</i>		1.25 kg/lm 0.84 lb/ft			✓	
Careo 7035 <i>Minimum 1,000 ft for all colors</i>		2.28 kg/lm 1.53 lb/ft				
Careo 7014 <i>Minimum 1,000 ft for all colors</i>		2.80 kg/lm 1.88 lb/ft		✓		
Careo 7016 <i>Minimum 1,800 ft for all colors</i>		4.00 kg/lm 2.69 lb/ft				

End Caps



Non standard End Caps & Splicers/Connectors available on request.

Splicers/Connectors

Corners



Straight



MULTI-UNIT CONDOS, TX
Color - Ebony



HYBRID ALUMINUM/WPC


Available in Teak, Moleskin, Rosewood and Ebony

CLADDING

Vertigo 5011 Minimum 5,000 ft for all colors

Dimensions

Weight




0.77 kg/lm
0.52 lb/ft

Vertigo 5010




1.19 kg/lm
0.80 lb/ft

Vertigo 5010 All colors stocked in the US, no minimum.



1.19 kg/lm
0.80 lb/ft



TIPTOP HOUSE, FL
Color - Rosewood

DECKING



CO-EXTRUDED WOOD PLASTIC COMPOSITE

Available in Teak, Moleskin, Rosewood and Ebony


Qualita 020C All colors stocked in the US, no minimum

Dimensions

Weight

Clips and screws


End caps and screws



3.30 kg/lm
2.22 lb/ft



Qualita 020E All colors stocked in the US, no minimum




3.30 kg/lm
2.22 lb/ft



Warehoused in the USA

Standard colors Custom colors available upon request. (Minimum order quantities required)



To learn more about the advantages of Geolam®, our complete product line, or for any other information, please visit our website or contact us at any time.

www.geolaminc.com

Toll free: 1-877-627-3530 • info@geolaminc.com

Geolam®

Architectural Eco-Technology