INSTALLATION AND MAINTENANCE GUIDE Cladding & Soffit




NVXXIIZIZIN

Asurion HQ, Nashville, TN Vertigo 5010 - Bilinga

info@geolaminc.com usa.geolam.com



Hybrid Aluminum/WPC Cladding/Soffit Datasheet



Technical information may change without warning. Please ensure you that you reference our latest as shown on our website at www.usa.geolam.com

Thickness: 1/2 in | 13 mm **Total width:** 7 ¹/₄ in | 184 mm Usable width: 6 ¹/₄ in | 160 mm Section tolerances in mm: + 0.5 / - 2.0 Fire rating: Non-combustible as per ASTM E-136 (appendix) Surfaces finish: Sanded Profiles fastening and installation: Check our website www.usa.geolam.com

Standard length: 12 ft | 3.66 m

Or order custom lengths from: 7 ft to 19 ft 8 in | 2.15 m to 6 m

Weight: 0.80 lb/ft | 1.19 kg/m

Secondary moment Ix (cm ⁴):	0.56
Secondary moment ly (cm ⁴):	122.03
Section modulus Z+x (cm ³):).68
Section modulus Z-x (cm ³): 0	.68
Section modulus Z+y (cm ³): 1	3.47
Section modulus Z-y (cm ³): 1	3.47
Core in anodized aluminum a A6063S-T5 Serie 6000	illoy:
Coefficient of Thermal Expan 23.4 um/m/°C	sion (20-100°

Modulus of Elasticity: 68.9 GPa

Max Tensile Strength: 186 Mpa

Carbon Footprint: WPC: 1.54 kg CO., /Kg Profile : 9.005 kg CO₂ /Kg

Sanding finish and/or shading may vary between runs

Standard Colors - 🦳 All standard colors stocked in the US, no minimum.




Non-Standard Colors - 90 day lead time - Minimum order 5,000 lineal ft.



Bilinga

Custom Colors Available - Minimum order 6,000 lineal ft.

usa.geolam.com Toll free: 1-877-627-3530 info@geolaminc.com




2"/ 50 mr


- non-magnetic. Recommended screw diameter is 4 mm, pan head with a diameter of 8.2 mm and length of 19 mm. Maximum 24"o.c. 5. We recommend leaving a 3 mm (1/8") gap between butt ends to allow for
- expansion/contraction in response to changes in temperature. However, if your design calls for zero-spaced butt joints, please refer to Page 9.
- 6. The boards may be miter-cut for outside corners or Geolam O/S corners may be used.
- 6. Exposed screws on the final board may be covered with caulking if desired or our color-matched 2-piece starter/'J' trim as shown below.



Drainage planes

Drainage planes are water repellent materials that are located behind the cladding and are designed and constructed to allow airflow and water drainage.





Kingspan GreenGuard MAX Building Wrap

Some drainage plane manufacturers:


- Tyvek Stucco wrap
- TYPAR[®] Drainable Wrap
- HydroGap® Drainable Housewrap
- Kingspan GreenGuard MAX Building Wrap


Installation videos

<u>Click here to watch videos on how to install Vertigo 5010 with a drainage plane or furring strips</u>




Installation of J-trim







2. Screw the Geolam Vertigo board through the J-trim into the wall every 24"




4. With a rubber mallet tap Part B into Part A



1. Fasten Part A of the J-trim to the wall as shown (ss screws recommended)



3. Attach the metal clips onto Part B every 16" (40 cm) as shown





5. Final assembled J-trim




Cladding Installation


- 1. Install 2-Piece Starter/"J" or other trim component at top and bottom of wall (A)
- 2. If outside corners are not mitered, install Outside Corners before cladding (F)
- 3. Install top course first panel and screw at maximum 24" (B)
- 4. Install next panel with selected joint reveal gap and secure (C)
- 5. Install adjacent panels leaving 1/8" or 3mm between butt joints
- 6. Cut last panel as needed to fit into "J"/ Starter Trim and secure (E)









В








Soffit Installation


- 1. Install 2-Piece Starter/"J" at perimeter terminations (G)
- 2. Install first course into trim component and secure into place (H)
- 3. Slide adjacent panels with selected joint reveal gap and secure (I)
- 4. Install adjacent panels leaving 1/8" or 3mm between butt joints
- 5. Cut last panel as needed to fit into "J"/ Starter Trim and secure (K)
























Soffit (Plan View)





Alternative butt joint - zero spacing 3 boards mounted horizontally


Please allow gap for board to expand Zero spaced Zero spaced Holes 2 ft apart butt joint butt joint End view \bigcirc \bigcirc Ô (+) \bigcirc \bigcirc \bigcirc General principles -1. fix mid-point of middle board and provide oversized holes for all the other screws to allow for expansion/contraction 2. Allow outer edges of the outer boards 5 mm each (1/4") for expansion either into trim or beside an architectural feature \cap 2-piece Fixed point in the middle Oversized holes Oversized holes J-trim #6 screw (6 mm) (6 mm)(Pan head with a diameter of 8.2 mm & 4 mm shaft)

Outside boards expand into trim pieces or beside an architectural feature



Mitered corner

Warning: mitered corners may be sharp!







Solid Substrate e.g. OSB Plywood

Drainage Plane e.g. Kingspan GreenGuard® MAX Building Wrap

#4 Stainless Steel Screw

Geolam Vertigo 5010